# SAFETY DATA SHEET



Ink Tank Black TCS500

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Ink Tank Black TCS500

**Article number** : 29953720 / 29953724 / 1060019424 / 1060035777

Product code (Canon) : 7518B002AA / 7518B009AA / 7518B009AA / 7518B013AA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Inkjet printing ink. Other uses are not recommended.

1.3 Details of the supplier of the safety data sheet

Supplier Océ-Technologies B.V.

Address St. Urbanusweg 43, 5914 CA Venlo, the Netherlands

Telephone number +31 77 359 2222 e-mail address : sds-hq@oce.com

1.4 Emergency telephone number

**National advisory body/Poison Centre** 

Telephone number : United Kingdom: 111

**Emergency telephone number** 

**Telephone number** : + 44 (0) 1235 239 670

Hours of operation : 24h

**Information limitations**: For chemical emergencies only.

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Product definition**: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

See Section 16 for the full text of the H statements declared above.

2.2 Label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

**Supplemental label**: Safety data sheet available on request.

elements

2.3 Other hazards

Other hazards which do : None known.

not result in classification

### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

			<u>Classification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Carbon black	EC: 215-609-9 CAS: 1333-86-4	≥5 - <10	Not classified.	Not classified.	[2]
2-pyrrolidone	EC: 210-483-1 CAS: 616-45-5	≥5 - <8	Not classified.	Eye Irrit. 2, H319	[1]
DL-hexane-1,2-diol	EC: 230-029-6	≥1 - <1, 3	Xi; R36/37/38	Skin Irrit. 2, H315	[1]
	CAS: 6920-22-5			Eye Irrit. 2, H319 STOT SE 3, H335	
			See section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be

kept under medical surveillance for 48 hours.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes.

Ingestion : Wash out mouth with water. Move exposed person to fresh air. Keep person warm

and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do

so by medical personnel. Get medical attention if symptoms occur.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments**: No specific treatment.

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

: In case of fire, use water spray (fog), foam, dry chemical or CO2.

Unsuitable extinguishing media

: Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides

### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see Section 8).

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

**6.2 Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

Small spill

: Wipe up small spills with disposable towels and transfer to a sealable, appropriate container for disposal. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry and cool area. Keep container tightly closed and sealed until ready for use. Keep from freezing.

### 7.3 Specific end use(s)

For professional users only.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
Carbon black	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 7 mg/m³ 15 minutes. TWA: 3,5 mg/m³ 8 hours.

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available

### 8.2 Exposure controls

Appropriate engineering controls

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Individual protection measures**

**Hygiene measures** 

: Wash hands after handling compounds and before eating, smoking and using the lavatory and at the end of the day. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Eye/face protection

Skin protection

**Hand protection** 

: Recommended: safety glasses with side-shields

: For prolonged or repeated handling, use the following type of gloves: neoprene or or nitrile gloves. Contaminated gloves should be replaced.

Body protection
Other skin protection
Respiratory protection

Not required during normal intended use of this product.Not required during normal intended use of this product.

: Not required during normal intended use of this product.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**Appearance** 

**Physical state** : Liquid. Colour : Black. Faint odour. Odour Not available. **Odour threshold** pH 7 to 8.5

: 0 °C Melting point/freezing point

Initial boiling point and

boiling range

: not available

Flash point : [Product does not sustain combustion.]

**Evaporation rate** : Not determined. : Not available. Flammability (solid, gas) Upper/lower flammability or : Not available.

explosive limits

: Not available. Vapour pressure Vapour density : Not available. **Relative density** Not available.

Solubility(ies) : No results available.

Partition coefficient: n-octanol/: Not available.

water

: Not applicable. **Auto-ignition temperature Decomposition temperature** : Not available. **Viscosity** : Not available. : Not available. **Explosive properties** : Not available. Oxidising properties

#### 9.2 Other information

No additional information.

# SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability The product is stable.

10.3 Possibility of : Under normal conditions of storage and use, hazardous reactions will not occur.

hazardous reactions

10.4 Conditions to avoid : None known. 10.5 Incompatible materials : None known.

10.6 Hazardous Under normal conditions of storage and use, hazardous decomposition products

should not be produced. decomposition products

# SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

### **Acute toxicity**

Product/ingredient name Result		Species	Dose	Exposure
Ink Tank Black TCS500	LD50 Oral	Rat	>2000 mg/kg	-
2-pyrrolidone	LD50 Oral	Rat	8000 mg/kg	-
DL-hexane-1,2-diol	LC50 Inhalation Dusts and mists	Rat	>7000 mg/m³	4 hours
-	LD50 Oral	Rat	6166 mg/kg	-

260-k Date of issue/Date of revision : 21-05-2015 Number: : 28-05-2015 Date of previous issue Version : 2 5/9

# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

Ink Tank Black TCS500

# **SECTION 11: Toxicological information**

**Conclusion/Summary** 

: No adverse effects are expected under intended use.

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-pyrrolidone	Skin - Erythema/Eschar	Rabbit	-	4 hours	72 hours
-	Skin - Oedema	Rabbit		4 hours	72 hours

### Conclusion/Summary

Skin
 : Non irritating on rabbit (OECD 404, method B4). Not classified as a skin irritant.
 Eyes
 : Non irritating on rabbit (OECD 405, Method B5). Not classified as an eye irritant.
 Respiratory
 : If ink mist is inhaled, respiratory tract irritation may occur. No adverse chronic

### **Sensitisation**

**Conclusion/Summary** 

Skin : Non-sensitiser. (OECD 406 Skin Sensitization). Not classified as a dermal sensitiser.

**Mutagenicity** 

**Conclusion/Summary** 

**Carcinogenicity** 

: Not mutagenic in Ames test.

effects known.

Conclusion/Summary: The IARC evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure

to powdered carbon black at levels that induce particle overload of the lung.

However, the amount of inhalation exposure to powdered carbon black is negligible

under intended use of this product.

**Reproductive toxicity** 

**Conclusion/Summary**: No known significant effects or critical hazards.

### Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
DL-hexane-1,2-diol	3	Not applicable	Respiratory tract irritation

Information on the likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation

Other information : Not available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Ink Tank Black TCS500 2-pyrrolidone	EC50 >1000 mg/l Acute EC50 13210 μg/l Fresh water	Daphnia Daphnia - Daphnia pulex - Neonate	48 hours 48 hours

### 12.2 Persistence and degradability

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2-pyrrolidone	-0,71	3,16	low

### 12.4 Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

Ink Tank Black TCS500

# **SECTION 12: Ecological information**

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

### European waste catalogue (EWC)

Waste code	Waste designation
08 03 13	waste ink other than those mentioned in 08 03 12

#### **Packaging**

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging		European waste catalogue (EWC)
Polypropylene container with polyethylene bag inside	15 01 02	plastic packaging.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

14.1-14.5

: This product is not regulated for carriage according to ADR/RID, ADN, IMDG, ICAO/IATA.

14.6 Special precautions for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

### **SECTION 15: Regulatory information**

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

**Europe inventory** : All components are listed or exempted.

**Regulation (EC) No. 648/2004,** 

on Detergents , Annex VII : Not applicable.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

15.2 Chemical Safety

Assessment

This product contains substances for which Chemical Safety Assessments are still

required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and

: ATE = Acute Toxicity Estimate

acronyms

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification
Not classified.		
Full text of abbreviated H : statements	H315 H319 H335	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation

# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

Ink Tank Black TCS500

### **SECTION 16: Other information**

Full text of classifications

[CLP/GHS]

Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category

2

Skin Irrit. 2, H315 SKIN CORROS STOT SE 3, H335 SPECIFIC TAR

SKIN CORROSION/IRRITATION - Category 2
SPECIFIC TARGET ORGAN TOXICITY (SINGLE
EXPOSURE) (Respiratory tract irritation) - Category 3

Date of printing : 28-05-2015 Date of issue/ Date of : 28-05-2015

revision

Date of previous issue : 21-05-2015

Version : 2

### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.