



CamLine Pro Pan/Tilt 1080p Full HD IP Camera

Excellent images both day and night thanks to the 1080p Full HD sensor

EM6330
EAN: 8716065331523

Packaging contents: EM6330, Password ID card, Power supply, Network cable, Mounting bracket, Screws and plugs, Quick install guide, Window Sticker

OVERVIEW

- Pan/Tilt Full HD IP Camera
- Full HD sensor for perfect images
- Ready to use in 3 steps: knowledge of network settings is not required
- Easy wireless network setup via WiFi Smart Config
- Recording on micro SD card
- Receive push notifications and email during an alarm
- IR cut filter for accurate and natural coloured images
- Good images in the dark due to night vision: up to 8m
- Two-way communication by the built-in microphone and speaker
- Configuration and control via the free CamLine Pro Android/Apple smartphone app
- Watch live video streams and listen along
- Wired network connection also possible

SPECIFICATIONS

Lens

- IR cut: Yes
- Infrared sensor: Yes
- Diameter lens: 4,8 mm
- Viewing angle: 75°

Network

- Network connection: Fast Ethernet (100 Mbps)
- WiFi: WiFi 802.11 b/g/n
- WiFi security: WPA2, WPA, WEP
- Dynamic DNS-client: Yes
- PoE-support: No
- WPS support: No
- WiFi Smart config: Yes
- p2p: Yes

Nightvision

- Infrared lighting (nightview): Yes
- Infrared mode: Auto or manual
- Amount of IR LEDs: 8
- IR distance: 8m
- Lux: 0,4 Lux

PTZ

- PT-camera: Yes
- Horizontal range 'Pan': 355 °
- Vertical range 'Tilt': 120 °
- Presets: 8
- Digital zoom: 3X

Video

- Video compression: H.264
- Frames per second: 25 fps
- Resolution: 1920x1080, 1280 x 720, 640 x 360, 320 x 180
- Videosensor Technologie: 1/2.7" CMOS
- Available streams: 2 video streams

Audio

- Audio compression: G711/G726
- Internal microphone: Yes
- Internal speaker(s): Yes
- 2 way audio: Yes

Storage

- SD card slot: Yes
- Storage: micro SD card, FTP
- micro-SD supports upto: 128GB

Alarm

- Motion detection: Yes
- E-mail notification: Yes
- Push notification: Yes
- Record to SD-card: Yes
- Record to FTP: Yes
- Scheduled recording: Yes

Accessibility

- ONVIF-certified: Onvif 2.1
- App available for: iOS, Android
- Software available for: Windows
- Browser support: IE, chrome, Safari, Firefox
- Synology Surveillance Station listed: Yes

Physical characteristics

- Environment: Indoor
- Operating temperature: -10~50°C
- Operating humidity: 10%~90% non-condensing
- Dimensions in mm (WxHxD): 91 x 115 x 115
- Weight: 259gr
- Colour: White

Power Supply

- Output: 5V 2A 50/60Hz
- Input: 100 - 230V 50/60Hz
- Power consumption: 3,5 - 6,5W

CamLine Pro Pan/Tilt 1080p Full HD IP Camera

Excellent images both day and night thanks to the 1080p Full HD sensor

SYSTEM REQUIREMENTS

- Wired or wireless network
- Smartphone: Android, iPhone or PC: Windows.

COMPATIBLE OPERATING SYSTEM

- Windows Vista, 7, 8, 8.1, 10

DESCRIPTION

Increase the sense of safety in and around your house knowing that the Eminent IP Camera keeps a close eye on your belongings. The Eminent EM6330 CamLine Pro delivers sharp images thanks to the Full HD sensor, IR Cut Filter and infrared LEDs. You can see 24/7 what is happening. Connect the PTZ Camera in only three steps to your wired network or use the WiFi Smart Config function to connect the EM6330 easily to your wireless network. The free CamLine Pro app lets you control the IP camera from all over the world. You even can let the EM6330 CamLine Pro watch over your baby in its bed. If the camera detects any movement you will receive a push notification or an email with a picture of the suspicious movement. The Pan/Tilt/Zoom Full HD IP Camera records the images on a micro SD card or NAS. There are no subscription or monthly fees required.

Ready to use in 3 steps

The EM6330 Full HD IP Camera is ready to use in only 3 steps. First, connect the IP camera to the Internet. Second, download the free CamLine Pro Android/Apple smartphone app. Finally, you need to scan the unique camera code, fill out the password and you are ready to control the Full HD IP Camera with the app from everywhere in the world.

Easy wireless setup with WiFi Smart Config

The WiFi Smart Config function is especially developed to ensure a quick wireless configuration of the EM6330. You only need to open the app, wait for the sound to play from the camera and fill out the WiFi password. The free CamLine Pro app will do the trick and the camera is connected with the wireless network. You can connect the camera with the wired network as well.

Full HD sensor and IR Cut filter for clear images

The EM6330's built-in 1080p Full HD sensor and IR Cut filter ensure excellent images. Even at night. The infrared LEDs will switch on automatically once it starts too get dark. You will have perfect images both day and night.

PTZ camera

The EM6330 Full HD IP Camera has an extremely wide viewing range. The IP Camera overlooks 360° because of the lens' wide viewing angle, the horizontal movement of 355° and a vertical movement of 120°. Thanks to the 3 times digital zoom you are keeping even a closer eye on your belongings. You can use the free CamLine Pro app to control the PTZ functionality.

Receive push notifications and email

Does the CamLine Pro Full HD IP Camera detect any movement? The EM6330 will send a push notification to your smartphone and/or send an email with a picture to your email address.

Photo and video evidence stored on a micro SD card, NAS or FTP server

Insert a micro SD card into the camera to store all video images. It is also possible to save the images via a FTP server or Synology NAS as the camera is listed in the Synology Surveillance Station.

Two-way voice communication with built-in microphone and speaker

Are you curious about the activities in your home? Listen along and speak back via the CamLine Pro app. The built-in microphone and speaker keep you up-to-date of all events.

CamLine Pro Pan/Tilt 1080p Full HD IP Camera

Excellent images both day and night thanks to the 1080p Full HD sensor

IMAGES



WIRELESS
WIFI 802.11 B/G/N



PAN/TILT
HORIZONTAL: 355° VERTICAL: 120°



SENSOR & IR LEDS
PERFECT DAY & NIGHT VISION

FULL HD